

DECLARATION of PERFORMANCE

UKCA-DoP-015

- 1. Unique Identification Code of the Product Type:** AYGIPS - LIGHTWEIGHT GYPSUM BUILDING PLASTER APPLIED BY HAND - B4 – (PLASTER WITH PERLITE)
- 2. Intended Use/Uses:** Plaster with Perlite: Applied by hand over brick, concrete, aerated concrete, exposed concrete etc.
- 3. Manufacturer:**
Name: AYTAŞ Alçı Enerji Maden ve İnş.San.Tic.A.Ş.
Head Office Address: Turan Güneş Bulvarı 12/14 Çankaya/Ankara/Turkey
Production Address: Bala 35. KM TOL Mah. Bala/Ankara/Turkey
- 4. Authorized Representative:** N/A
- 5. System of Assessment and Verification of Constancy of Performance:** AVCP System 4
- 6. Harmonized Standard:** TS EN 13279-1 - Gypsum binders and gypsum plasters - Part 1: Definitions and requirements

Notified Body: TURKISH STANDARDS INSTITUTION (TSE), Notified Body Number: 1783 Initial Type Tests have been performed by Turkish Standard Institute with accreditation number AB-0001-T.

7. Declared Performances:

Characteristic	Related Article of the Standard	Declared Levels and/or Classes	Notes
Reaction to Fire	5.1.1	A1	Test Report no: 642143 Report Date: 20.10.2021
Raw Gypsum Content- (% CaSO ₄)	5.2	≥ 50	Test Report no: 632961 Report Date: 13.09.2021
Initial Setting Time - min	5.3	≥ 20	
Flexural Strength- N/mm ²		≥ 1	
Compressive Strength- N/mm ²		≥ 2	
Adhesional Strength- N/mm ²		≥ 0,1	

- 8.** The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, as it has effect in the United Kingdom, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Responsible Person:

Place and Date:

Signature / Stamp:

Recep COBAN
Fabrika Müdürü
18.10.2022
AYTAŞ ALÇI
ENERJİ MADEN ve İNŞ. SAN. TİC. A.Ş.
Turan Güneş Bulvarı 12/14 Çankaya/ANKARA
Tel: (0.312) 440 66 44 Fax: (0.312) 440 63 50
Seymenler Vergi Dairesi 124 021 2591 ③