

**DECLARATION of PERFORMANCE****UKCA-DoP-005**

- 1. Unique Identification Code of the Product Type:** AYPAN - Type A PLASTERBOARDS ,  
(900 mm x 1800 mm) x (12,5 mm) Square Edge – Tapered Edge) (AYPAN WHITE)
- 2. Intended Use/Uses:** Type A AYPAN WHITE, ; is plasterboard which is used for suspended ceilings, partition walls and linings.
- 3. Manufacturer:**  
Name: AYTAŞ Alçı Enerji Maden ve İnş.San.Tic.A.Ş.  
Head Office Address: Turan Güneş Bulvarı 12/14 Çankaya/Ankara/Turkey  
Production Address: Bala 35. KM TOL Mah. Bala/Ankara/Turkey
- 4. Authorized Representative:** N/A
- 5. System of Assessment and Verification of Constancy of Performance:** AVCP System 4
- 6. Harmonized Standard:** TS EN 520+A1 :2010 Gypsum plasterboards - Definitions, requirements and test methods  
**Notified Body:** TURKISH STANDARDS INSTITUTION (TSE), Notified Body Number: 1783 Initial Type  
Tests have been performed by Turkish Standard Institute with accreditation number AB-0001-T.

**7. Declared Performances:**

Characteristic	Relate Article of the Standard	Declared Levels and/or Classes	Notes
Reaction to Fire	4.2.1	A2-s1-d0	Test Report no: 2190722 Report Date: 17.06.2020
Flexural Strength	4.1.2	Transverse Direction: $\geq 16,8 \times t$ N Longitudinal Direction: $\geq 43 \times t$ N (*t: thickness)	
Direct Airborne Sound Insulation	4.6.1	NPD	
Acoustic Absorption	4.6.2	NPD	
Impact Resistance	4.3	NPD	

**8.** The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, as it has effect in the United Kingdom, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

**Responsible Person:**

**Place and Date:**

**Signature / Stamp**

**Recep ÇOBAN**  
Fabrika Müdürü  
18.10.2022  
**AYTAŞ ALÇI**  
ENERJİ MADEN ve İNŞ. SAN. TİC. A.Ş.  
Turan Güneş Bulv. No: 12/14 Çankaya/ANKARA  
Tel: (0.312) 440 66 11 Fax: (0.312) 440 63 50  
Sığirciler Yeri Dairesi 124 021 2591 ③